

SAFETY DATA SHEET

Issuing Date 30-April-2	2015 Revision Date	Revision Number 0	
1. IDENTIFIC	ATION OF THE SUBSTANCE/PREPA	RATION AND THE COMPANY/UNDERTAKING	
GHS Product Identifier			
Product Name: CrackMaster	r Supreme		
Other Means of Identification	L		
Product Code(s): M105	0		
Synonyms None			
Recommended Use of the Ch	nemical and Restrictions on Use		
Recommended Use:	Sealant		
Uses Advised Against:	No information Available		
Supplier's Details			
Supplier Address ThorWorks Industries, Inc 2520 S. Campbell St. Sandusky, OH 44870 1-800-326-1994			
Emergency Telephone Numb	er		
Emergency Telephone Numb	Chemtrec 1-800-424-93	300	
	2. HAZARDS IDE	NTIFICATION	
Classification			
Classification in accordance	to the OSHA Hazard Communication Stan	dard 2012 (29 CFR 1910.1200) = 1B H350	
GHS Label Elements, Includi	ng Precautionary Statements		
	Emergency	Overview	
Signal Word	Danger		
	P308 + P313 If exposed or concerned: P405 Store locked up P501 Dispose of contents/container to a	autions have been read and understood on, protective clothing, protective gloves Get medical attention	
Describe any hazards- Hot material will burn skin.			
Appearance: Black/Dark Brown Physical State: Solid at room temperature, liquid above softening point. Odor: Petroleum			

Hazard Not Otherwise Classified (HNOC) Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

				ENTO
Chemical Name		CAS Number	%	GHS-US classification
Extracts (petroleum), heavy paraffinic distillate solvent		6474204-7	0.1-20	Carc. 1B, H350
Carbon Black **Bound, not available to inhale as dust. Full text of H-phras		1333-86-4	0-5	Carc. 2, H351 **
Bound, not available to innale as dust		363, 366 3661011 10.		
	4.	FIRST AID MEASU	RES	
Description of Necessary First-Aid M	<u>easures</u>			
General	Never give anythin medical advice/atte		nscious persor	n. If exposed or concerned: Get
Eye Contact	Irrigate copiously v	vith clean, fresh water fo	or at least 15 r	ninutes, holding the eyelids apart.
Skin Contact	Drench affected ar	ea with water for at leas	st 15 minutes.	
Inhalation	Remove victim to f medical attention/a		st in position c	omfortable for breathing. Get
Ingestion	Get Medical attenti	ion/advice if you feel un	well.	
Most Important Symptoms/Effects, A	cute and Delayed			
Most Important Symptoms/Effects		s may cause respirator uses burns to skin and		
Indication of Immediate Medical Atte	ntion and Special 1	Freatment Needed, If N	<u>lecessary</u>	
Notes to Physician	Treat Symptomatic	ally and supportively.		
	5. FI	RE-FIGHTING MEAS	SURES	
<u>Suitable Extinguishing Media</u> Class B. Carbon dioxide. Dry chemical. Foam. Water spray				
Unsuitable Extinguishing Media	Do not use a heavy	water stream.		
<u>Specific Hazards Arising from the Chemical</u> Fire hazard- When heated, material emits irritating fumes. Burning produces irritating, toxic, and noxious fumes. Explosion hazard- Product is not explosive. Reactivity- No dangerous reactions known.				
Protective Equipment and Precautions for Firefighters Full protective equipment, including self-contained breathing apparatus to be worn. Do not allow run-off from fire fighting to enter drains/water courses. Exercise caution when fighting any chemical fire.				
	6. ACCID	ENTAL RELEASE M	IEASURES	
Personal Precautions, Protective Equipment, and Emergency Procedures				
Personal Precautions:	-		breathe vapor	and mist. Keep upwind.
For non-emergency personnel:	Chemical goggles Evacuate unneces		ir suitable prot	ective clothing and gloves.
For emergency responders:	Chemical goggles leak if safe to do so		ır suitable prot	ective clothing and gloves. Stop
Environmental Precautions				
Environmental Precautions: Do not discharge into drains or the environment.				
Methods and Materials for Containment and Cleaning Up				
Methods for Containment:	Stop the flow of ma			any spills with dikes or absorbents

Methods for Cleaning Up: Allow the molten material to cool. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling:	Avoid breathing vapors. Avoid contact with skin and eyes. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink, or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking when leaving work.			
Conditions for Safe Storage, Including Any Incompatibilities				
Storage:	Store in properly closed and labeled containers away from sources of ignition. Store containers in a well-ventilated, clean, and dry area.			
Incompatible Products:	Strong oxidizing agents.			
Specific end use:	Sealant.			

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL
Extracts (petroleum), heavy paraffinic distillate solvent (64742-04-7)	Not applicable	Not applicable
Carbon black (1333-86-4)	TWA 3.5 mg/m³ Remark: Bronchitis	3.5 mg/m³

Appropriate Engineering Controls

Engineering	Measures:	A
-------------	-----------	---

Avoid creating mist or spray. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Use only outdoors or in a well-ventilated area.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection:	Chemical goggles or safety glasses. Contact with hot material- risk of serious burns. Face shield.
Skin and Body Protection: Respiratory Protection:	Long sleeved protective clothing. Foot protection. Insulated gloves. In case of inadequate ventilation wear respiratory protection. Appropriate self-contained breathing apparatus may be required.
Hygiene Measures:	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

 Physical State:
 Solid at 77° F/ Liquid above softening point.

 Odor:
 Petroleum

Values

No data available 150-250° F (65.5-121.1 ° C)

>600° F (>315.6° C) >400° F (>204.4° C)

No data available

No data available

Appearance:Black/Dark BrownOdor Threshold:No Information Available

Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (solid, gas)

Values
No data available
1.0-1.9
No data available
No data available
8-16 lbs/gal

Partition coefficient: n-octanol/wate Autoignition Temperature Decomposition Temperature Viscosity	r No data available >700° F (>371.1° C) No data available No data available		
Explosive Properties Oxidizing Properties	No data available No data available		
Other Information			
VOC Content	0%		
	10. STABILITY AND REAC	ΤΙVΙΤΥ	
Reactivity:	No dangerous reactions known.		
Chemical Stability:	Stable under normal conditions.		
-	Hazardous polymerization will not occur.		
Conditions to Avoid:	None known.		
Incompatible Materials:			
	: Carbon Monoxide (CO), Hydrogen Sulfide,	Strong oxidizing agents. Carbon Monoxide (CO), Hydrogen Sulfide, Aldehydes, Aromatic hydrocarbons. Irritating and/or toxic fumes may be released if burned.	
	11. TOXICOLOGICAL INFOR	MATION	
Information on toxicological effects			
Likely routes of exposure: Acute toxicity:	Skin and eye contact; Inhalation Not classified		
Chemical Name	LD50 Oral (Rat)	LC50 Inhalation (Rat)	
Carbon Black (1333-86-4)	>8000 mg/kg (Rat)	>4.6 mg/m³ 4 h	
Skin corrosion/irritation: Serious eye damae/irritation: Respiratory or skin sensitization: Germ cell mutagenicity: Carcinogenicity:	Not Classified Not Classified Not Classified Not Classified Not Classified		
Chemical Name	IRAC Group	National Toxicology Program (NTP) Status	
Carbon Black (1333-86-4)	2B- Possibly carcinogenic to humans, Inhalation of dust.	Not listed in carcinogenicity class	
Reproductive Toxicity: Not Classified Specific target organ toxicity (single exposure): Not Classified Specific target organ toxicity (repeated exposure): Not Classified Aspiration hazard: Not Classified Symptoms/injury after inhalation: Inhalation of vapors may cause respiratory irritation. Symptoms/injury after skin contact: Heated product causes burns. Symptoms/injury after eye contact: Heated product causes burns.			
	12. ECOLOGICAL INFORM	IATION	
Toxicity:	No information available.		
Persistence and Degradability: Carbon Black (1333-86-4):	Not readily biodegradable		
Bioaccumulation Potential:	No information available.		
Mobility in soil:	No information available.		
Other Adverse Effects:	No information available.		

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Sewage disposal recommendations: Do not dispose of waste into sewer.

Waste disposal recommendations:

Dispose in a safe manner in accordance with local/national regulations.

14. TRANSPORTATION INFORMATION

DOT:

Not considered a dangerous good for transport regulations.

15. REGULATORY INFORMATION

Legend

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL –** Canadian Domestic Substances List/Non-Domestic Substances List **EINECS –** European Inventory of Existing Commercial Chemical Substances

U.S. Federal Regulations

Extracts (petroleum), heavy paraffinic distillate solvent (64742-04-7)- listed on the US TSCA inventory. Carbon Black (1333-86-4)- listed on the US TSCA inventory.

International Regulations

CANADA

Extracts (petroleum), heavy paraffinic distillate solvent (64742-04-7)- listed on the Canadian DSL inventory. Carbon Black (1333-86-4)- listed on the Canadian DSL inventory.

EU Regulations

Extracts (petroleum), heavy paraffinic distillate solvent (64742-04-7)- listed on the EEC inventory EINECS Carbon Black (1333-86-4)- listed on the EEC inventory EINECS

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carc. 1B Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Carc. Cat. 2; R45

National Regulations

Carbon Black (1333-86-4)-	Listed on IARC (International Agency for Research on Cancer)
	Listed on PICCUS (Philippines Inventory of Chemicals and Chemical Substances)
	Listed on NZIoC (New Zealand Inventory of Chemicals)
	Listed on the AICS (Australian Inventory of Chemical Substances)
	Listed on Taiwan National Chemical Inventory
	Listed on the Korean ECL(Existing Chemicals List)
	Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
	Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)

U.S. State Regulations

Carbon Black (1333-86-4) California Proposition 65 Carcinogens List: Yes California Proposition 65 Developmental Toxicity: No California Proposition 65 Reproductive Toxicity- Female: No California Proposition 65 Reproductive Toxicity- Male: No

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey
Asphalt	Х

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard: 2	Flammability: 1	Instability: 0	Physical and Chemical Hazards-
<u>HMIS</u>	Health Hazard: 2	Flammability: 1	Physical Hazard: 0	Personal Protection: X
C	H-phrases: arc. 1B- Carcinogenicity, Categ arc. 2- Carcinogenicity, Catego			
H	350- May Cause Cancer 351- Suspected of Causing Ca	-		

Revision Date:	30-April-2015
Revision Note:	No information available.

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.