SAFETY DATA SHEET

Revision Number N/A



Issuing Date 13-Sept-2017

hydrocarbon leaching or evaporation.

GHS Product Ide	ntifier				
Product Name:	Aquaset Premium Cold Patch				
Other Means of le	dentification				
Product Code(s): Synonyms	M1191	None			
Recommended U	lse of the Chemic	al and Restrictions on Use			
Recommended U Uses Advised Ag		Cold-Mix, permanent repair solution for asphalt and concrete applications. No information Available			
Supplier's Details	<u>8</u>				
Manufacturer Ad ThorWorks Indust 2520 S. Campbell Sandusky, OH 444	ries, Inc. St.				
<u>www.sealmaster.r</u> 1-800-326-1994	<u>net</u>				
<u>Emergency Teler</u> Emergency Teler		Chemtrec 1-800-424-9300			
		2. HAZARDS IDENTIFICATION			
Contents:	Small amount of	flammable liquid.			
Appearance/Odo	r: Black, solid m	ineral binder mix with characteristic odor.			
Potential Health	Effects:				
Likely Routes of	Exposure: Eye	contact, skin contact			
Eye:	Mild/moderate ir	ritation. Seek medical attention if continues.			
Skin:	Prolonged exposure may cause moderate skin irritation. May cause drying/fatting of the skin.				
Ingestion:	Not likely to be toxic, but may cause irritation of mouth, throat and stomach.				
Inhalation:	Not relevant				
Medical Conditio	ns Aggravated by	Exposure: May cause more significant irritation in people with preexisting conditions.			
		rcinogens as listed by OSHA, IARC, or NTP. While this material is not considered hazardous			

Revision Date N/A

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

by OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. **Potential Environmental Effects:** AQUASETTM is water activated, environmentally friendly, safe and non-toxic. No

3.	3. COMPOSITION/INFORMATION ON INGREDIENTS		
Component	CAS Number	Weight %	
	————— Page 1 ———		

Limestone, Sand & Gravel	14808-60-7	93-94
Carbon Black	1333-86-4	< 0.5
Binder	Proprietary	6-7

	4. FIRST AID MEASURES		
Eye Contact	Rinse opened eye for several minutes under running water. If easy to do, remove contact lenses. Seek medical attention if irritation develops.		
Skin Contact	Remove contaminated clothing and wash before reuse. Wash skin with soap and water. Seek medical attention if irritation develops. If product is hot, may cause thermal burns.		
Inhalation	If symptomatic, move to fresh air. Get medical attention if symptoms persist.		
Ingestion	Keep person warm and quiet and get medical attention. ONLY induce vomiting as directed by medical personnel. Do NOT administer anything by mouth to unconscious person.		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media:	Foam, powder, water spray		
Unsuitable Extinguishing Media:	Water stream		
Products of Combustion:	CO, CO ₂ , H ₂ S		
Specific Fire Fighting Measures:	No specific methods required.		
Specific Protective Devices:	Self-contained breathing apparatus.		
Specific Hazards:	No specific hazards known.		
Specific Hazards:	Firefighters should wear self-contained breathing apparatus and full fire-fighting turnout gear.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal Precautionary Measures: Environmental Precautionary Measures			
Methods for Cleaning Up:	Collect mechanically. Any rags, clothing, paper products or other porous material should be disposed of in fire proof containers.		
Other Information:	Spills of this material do not need to be reported to the National Response Center.		
	7. HANDLING AND STORAGE		
Handling:	Use rubber or cotton gloves. DO NOT handle material with bare hands. Do not get in eyes. Do not breathe vapor. Avoid prolonged contact with skin.		
Storage:	Use listed on the container. Immediate use is recommended after opening container or bag.		
Requirements on Storage Rooms a material cures by exposure to air and container is cleaned, reconditioned o	l/or water. Product residue may remain in empty containers. Observe all label precautions until		
Information About Storage in Com	mon Storage Facility: Not relevant		
Further Information About Storage	Conditions: Store in weather / sun protected area		
Storage Class According to VCI:	Not relevant		
Appropriate Application(s):	For patching up asphalt and concrete		
Incompatible Products:	Strong oxidizing agents. Acids.		
	8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
Exposure Guidelines:	Not established		

Exposure Guidelines:

Not established

Engineering Measures:

Bioaccumulation/Accumulation:

No special requirement.

Components With Critical Values That Require Inspection at the Place of Work: The product does not contain any relevant quantities of material with critical values, which have to be monitored at a work place.

	9. PHYSICAL AND CHEMICAL PROPERTIES	
General Hygiene Considerations: eat, drink and smoke while working.	Wash thoroughly after handling. Have a eye-wash facilities immediately available. Do not	
Respiratory Protection:	Not required.	
Skin Protection:	Wear suitable work gloves, hard hat, and safety shoes.	
Eye/Face Protection:	Required as material contains loose debris.	

Color:	Black		
Odor:	Little to none		
Physical State:	Mineral- Binder- Mix		
pH – Value:	Not relevant		
Freezing Point:	Not relevant		
Boiling Point:	Not relevant		
Flash Point:	> 390°F		
Volatile Organic Compound	d (VOC) Content: 0%		
Upper Flammability Limit: Not relevant			
Lower Flammability Limit:	Not relevant		
Density at 20°C [g/cm³]:	0.905		
Solubility in Water:	Insoluble in water.		
Auto-Ignition Temperature:	Not available, but auto-ignition of the binder may occur if thin film is left on porous materials.		
Fire Promoting Properties	Fire Promoting Properties [°C]: Product is not oxidizing		
Danger of Explosive [°C]:			
	10. STABILITY AND REACTIVITY		
Stability:	Stable		
Incompatible Materials:	Not relevant		
Possibility of Hazardous Re	eactions: Auto-Ignition of the binder residue left on porous materials such as rags, paper or clothing.		
Hazardous Decomposition	Products: Not relevant 11. TOXICOLOGICAL INFORMATION		
Acute Effects:	The product is classified as not acute toxic.		
Chronic Effects:	The product is classified as not sub-acute respectively chronically toxic.		
Corrosive or Irritant Effect or Sensitization: The product is classified as not irritating or sensitizing.			
California Proposition 65 W birth defects or other reprodu			
12. ECOLOGICAL INFORMATION			
Mobility in Environment:	Not relevant		
Persistence/Degradability:	Not relevant		

Not relevant

Further Negative Effects:	There a	are no negative effects known.			
		13. DISPOSAL CONSIDERATIONS			
Disposal: Dispose of in accord		se of in accordance with federal, state and local regulations.			
Packaging:	Packag	ging can be reused or recycled after cleaning. Note local restrictions			
	14. TRANSPORTATION INFORMATION				
US DOT (ground) Proper S	hipping Description	on: This product is not regulated for shipping by US DOT.			
Canadian TDG (ground) Pr	oper Shipping Des	scription: See US DOT.			
ICAO (air) Proper Shipping	Description:	See US DOT.			
IMDG (water) Proper Shipp	oing Description:	See US DOT.			
ADR/RID Proper Shipping	Description:	See US DOT.			
AND/ADNR Proper Shippir	ng Description:	See US DOT.			
		15. REGULATORY INFORMATION			
OSHA Process Safety (29CFR1910.119):		Not regulated.			
Inventory Status United St	ates (TSCA):	All ingredients are on the inventory or exempt from listing.			
16. OTHER INFORMATION NFPA 704: National Fire Protection Association					
	- autorie				
Health – 0	Fire – 0 R	Reactivity – 1			
0 = minimal hazard, 1 = sligh	nt hazard, 2 = mode	erate hazard, 3 = severe hazard, 4 = extreme hazard			
Revision Date: 13-September-2017					

Revision Note:

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.